



BAB Air Monitoring Beacon



Continuous alpha & beta particulates monitor

- Real time monitoring
- Detection in high gamma background environments
- Available in mobile or stationary version

BAB AIR MONITORING BEACON



Continuous monitoring of alpha & beta artificial radioactive particulates

The BAB air monitoring beacon provides continuous measurement of the atmospheric contamination issued by alpha & beta radioactive particulates, including compensation of radon progenies for more accuracy.

All data measured from the BAB beacon are displayed in real time or available remotely using the DataEXPERT software. It can also be connected to a central monitoring network and trigger a general alarm system on-site in case of emergency.

Two BAB versions are available. The BAB-A7 version is specially designed for workstation monitoring during maintenance operations or when dismantling work sites. BAB-A7 is available for stationary or mobile use. The BAB-E exists in a stationary version for outside deployment, and will be typically used for surveillance around nuclear facilities or for nationwide monitoring.

Applications



Environmental monitoring



Working place monitoring in nuclear facilities



Ventilation duct monitoring



Emergency measurements

Indoor or outdoor beacons



The BAB-A7 is a mobile beacon designed to maximise operators' protection indoor



The BAB-E is a ruggedized station designed for outdoor operations even in harsh environmental conditions



Technical features

DETECTOR TYPE

Large area dual silicon diode, 2 x 360 mm²

ENERGY RANGE

Alpha: 2 to 10 MeV
Beta: 80 keV to 2 MeV

MEASURING RANGE

Alpha: 10⁻³ to 5.10⁴ Bq/m³
Beta: 10⁻² to 5.10⁴ Bq/m³

DISPLAY UNITS

Bq/m³, µGy/h

SAMPLING RATE

5 m³/h

DISPLAY

Large LCD screen - TFT 5.6"

COMMUNICATION

2 x RS485, JBUS, ShortLINK or SkyLINK (radio), Optional GPRS or 3G/4G

DIMENSIONS AND WEIGHT

BAB-A7: 110 x 55 x 26 cm - 53 kg
BAB-E: 214 x 113 x 71 cm - 150 kg

Environmental monitoring range


Discover other products of Bertin Instruments

GammaTRACER XL2



Autonomous gamma dose rate probe

Real time monitoring with DataEXPERT



DataEXPERT software is a web-based solution designed to transmit online data from connected low power sensors to a single computer or supervision center.

With the expertise of **SAPHYMO**